

**From:** [Delgado, Paige](#)  
**To:** [Don Edgington](#); [Moore, Gary](#)  
**Cc:** [Martin, John](#)  
**Subject:** RE: DWO - Corrected  
**Date:** Saturday, November 17, 2018 10:41:44 AM  
**Attachments:** [DWO No. 12 - F.J. Doyle Salvage Site - 11.16.18 \(revised\).pdf](#)

---

-----Original Message-----

From: Don Edgington <d.edgington@erllc.com>  
Sent: Saturday, November 17, 2018 9:23 AM  
To: Moore, Gary <moore.gary@epa.gov>  
Cc: Delgado, Paige <Delgado.Paige@epa.gov>; Martin, John <martin.john@epa.gov>  
Subject: Re: DWO - Corrected

Gary-

I negotiated down from 3 days to 2 days, first day was free/no charge. Then had vendor convert to the lesser of 2 days or a weekly rate, weekly rate was less than the \$815.00/day for a 4,100# breaker.

Don

Sent from my iPhone

On Nov 17, 2018, at 8:51 AM, Moore, Gary <Moore.Gary@epa.gov<<mailto:Moore.Gary@epa.gov>>> wrote:

Don

We should only be charged for 2 days of rental for the breaker as it took them 2 days to install and it wasn't on until around 10 am.

Sent from my iPhone

On Nov 17, 2018, at 6:36 AM, Don Edgington <d.edgington@erllc.com<<mailto:d.edgington@erllc.com>>> wrote:

Good morning, everyone.

Attached please find a revised DWO for 11/16/18. My apologies on the error.

Regards,

Don

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.

<DWO No. 12 - F.J. Doyle Salvage Site - 11.16.18 (revised).docx>